


Wastewater Data Shows Norovirus is Rapidly Increasing in Riverside this Winter




Source: WastewaterSCAN

Notes: Wastewater samples are collected from two water plants in Riverside

The line chart shows the 5-sample trimmed average of norovirus concentrations normalized by pepper mild mottle virus (PMMoV) concentrations in the solids.


Age-Adjusted Mortality Rates of Lung Cancer by Gender, 2018-2022



Source: California Integrated Vital Records System (Cal-IVRS), 2018-2022.

Female Male

Heat-Related Death Rates in Riverside County by Race / Ethnicity, Crude and Age-Adjusted, 2019-2023



Source: Population denominator data was obtained from CA Dept of Finance population projections (2019 release, 2016 baseline data). Death data was obtained from Cal-IVRS.


Notes: These rates include deaths of Riverside County residents that occurred 2019-2023, in which ICD-10 codes X30 (Exposure to excessive natural heat), P810 (Environmental hyperthermia of newborn), and/or T67 (Effects of light and heat) are listed as underlying or contributing causes of death, and in which ICD-10 code W92 (exposure to heat of man-made origin) does not appear. The countywide death count and rates include decedents of unknown race/ethnicity.

*National Center for Health Statistics (NCHS). (2022, August). Age adjustment. Centers for Disease Control and Prevention. Retrieved April 4, 2024, from <https://www.cdc.gov/nchs/hus/sources-definitions/age-adjustment.htm>

Perinatal Depressive Symptoms Vary by Race: Hispanic / Latino Higher Prenatal and Black / African American Higher Postpartum

Prenatal Depression Symptoms


Postpartum Depression Symptoms




Source: California Department of Public Health (CDPH), Center for Health Statistics and Informatics (CHSI). (2012-2022). California Integrated Vital Records System (Cal-IVRS). California Comprehensive Birth File (CCBF).

Notes: Data for Native Hawaiian/Pacific Islander or American Indian/Alaska Native people are not presented due to the small number of cases observed for these populations, which can lead to distorted comparisons with other groups. The Maternal and Infant Health Assessment (MIHA) collects self-reported information about maternal experiences before, during, and after pregnancy. Data used from the MIHA are weighted to be representative of all individuals with a live birth in Riverside County. Data excludes nonresidents, birthing parents younger than 15 years old at delivery, those with multiple births greater than triplets, or birthing parents with a missing address on the birth certificate (CDPH, 2024).

Average Household Size for Households Spending Less Than 30% of their Income on Housing Cost, by Year



The Proportion of Motor Vehicle Injuries was Highest among 15- to 34- Year-old Riverside County Residents, 2018-2022



Source: Department of Health Care Access and Information (2018-2022)

Notes: Percentages are out of all MV accidents and include occupant, pedestrian, bicyclist, motorcyclist, other and unspecified injuries involving a motor vehicle

Source: Epidemiology and Program Evaluation
Submit a Data Request:

<https://www.ruhealth.org/public-health/epidemiology-program-evaluation>

