


## **2022 Surveillance Report**

(January 1st, 2022-December 31st, 2022)







All overdose incidence rates are monitored using 9-1-1 patient records made available in near real-time data from FirstWatch®, a data platform capturing all patient care report data within the emergency medical service system.

#### **Suspected Opioid Overdose Incident Totals**

Comparison to Previous Year (Jan 1st 2021- Dec 31st, 2021)





Suspected Opioid Overdose & Fatality by Gender

**Opiate Overdose 2022** 

**★** 3.7%

**Overdose Fatality 2022** 

151 **£** 6.3%

**Comparison to Previous Month** 


**Opiate Overdose Dec 2022** 

**₽** -13.8%

**Overdose Fatality 2022** 

**3**-30.0%


# All Suspected Drug Overdose EMS Incidents (January 1st, 2022- December 31st, 2022)













#### Type of Drug Mentioned in Overdose Calls



#### Type of Drug Mentioned in Fatal Overdose Calls



### Overdoses in Patients Experiencing Homelessness and/or Mental Health Crisis

(January 1st, 2022- December 31st, 2022)

Overdose-Homelessness Records 2022

938

Mental Health-Overdose Records 2022

242

Homelessness-Overdose Fatality

18


Mental Health-Overdose Fatality

2


According to California Welfare and Institutional Code (WIC), a 5150 (mental health crisis) enables law enforcement and designated medical professionals to place individuals posing imminent risk to self or others on involuntary 72-hour hold. From 1/1/2022-12/31/2022, Riverside County Emergency Medical Services (EMS) providers responded to an average of 20 WIC-5150 emergency and non-emergency transport overdose calls each month in 2022.

Homelessness (unstable housing) is an important factor for resource allocation and understanding all factors that can lead to overdose in the EMS system. Homeless status is established and self-reported by patient to EMS provider and noted in electronic patient care records that display patient as homeless. There are two fields within the record "Patient Home Address"="Homeless" or a checkbox, "Is patient homeless" marked "Yes" to indicate homeless patient status. The data displays all overdose records that involve a patient with homeless status.


#### Overdoses in Patients Experiencing Homelessness by Month




#### Overdoses in Patients Experiencing Mental Health Crisis by Month



#### Overdoses in Patients Experiencing Homelessness by Gender & Age Group



#### Overdoses in Patients Experiencing Mental Health Crisis by Gender &



# Suspected Opiate Overdose Treatment Adherence (January 1st, 2022- December 31st, 2022)

In order to get an in depth look at opioid overdose data, it is important to understand the willingness of patients that are seen and treated by EMS providers to comply with provider recommendations. This provides context and highlights potential obstacles in overdose treatments.

The following data represents patients that go against medical advice (AMA), thereby refuse treatment, or transport to a designated healthcare facility for further treatment. Patients encountered that were determined to be deceased when EMS units arrived are denoted as DOA.

Treated & Transported 2,742

Treated & No Transport

171

Refused Treatment & No Transport

64


Refused Treatment & Transported

2

150

DOA

Figure 12A-B: Count & Proportion of Patients Treated/Transported/Refused for Suspected Opioid Overdose Incidents






Figure 13: Patients Treated/Transported/Refused for Suspected Opioid Overdose Incidents by

Age Group





Figure 14: Patients Treated/Transported/Refused by Gender



### Naloxone Administration in EMS Suspected Opioid Overdose Calls (Jan-Dec 2022)

Narcan Administered by EMS 2,231

No Narcan Administered 287


Administered by Other 839

Naloxone, aka Narcan, is the name of a generic drug that temporarily reverses the effects of an opioid overdose. First responders in our community have been trained to use narcan when they encounter an overdose while responding to an emergency incident. Understanding its efficacy in suspected EMS overdose incidents can help guide response activities and inform health care providers offering treatment services.

#### **Naloxone Administration Prior to EMS Arrival**




## Naloxone Administration in All Suspected Opioid Overdose Calls (15A) & Overdose Fatality Calls (15B)



\*ABO (administered by other) refers to naloxone administered by someone other than EMS prior to EMS arrival

\*Yes, ABO refers to naloxone administered by EMS as well as prior to arrival

#### Patient Response to Naloxone Administration



#### % Patient Response to Naloxone Administration

Figure 18

